












Range of Bale Trailers


JOSKIN offers a range of WAGO bale trailers **designed to ensure maximum load security**, manoeuvrability and driving comfort.

Trailed WAGO Bale Trailers






Semi-Mounted WAGO Bale Trailers






Painted or Galvanised WAGO - Floor in Folded Sheet or Chequered Plate



2-component paint protection

- (A) Floor in chequered plate with a 2.5 cm edge to better hold the load.
- **(B)** Automatic shot-blasting with 20 turbines (2,300 kg shot/min).
- (C) 2K primer coat applied directly after blasting + flash-off before applying the finish.
- (D) 2K topcoat with accelerated drying at 60°C.



Galvanised protection


- **(A)** Floor in folded high tensile steel sheet (thickness: 4 mm).
- **(B)** Core penetration of zinc in steel at 450°C. **(C)** 70-micron galvanising with special treatment before and after

immersion in the zinc bath.


Range of Low Loaders

The **WAGO-Loader** low loaders are designed to transport heavier loads (implements, machinery, etc.) and combine **simplicity**, **sturdiness and safety**.

Semi-Mounted WAGO-Loader




Trailed WAGO-Loader



Galvanised WAGO-Loader - Wooden Floor





3.5 cm thick treated **hardwood floor** on all WAGO-Loader low loaders.



2 hydraulic rear stands with wide skids, standard on all WAGO-Loader.



Hydraulic central stand retractable inside the drawbar with a wide skid, standard on semimounted WAGO.



The LOWEST bale trailers and low loaders on the market!

The WAGO bale trailers and low loaders (WAGO-Loader) are designed to have the lowest centre of gravity possible.





Comfort and Sturdiness


At JOSKIN, particular attention is paid to the user comfort. The structure of the WAGO trailers is also extremely resistant to ensure a long service life.





Ladders and Extensions for a Safe Transport

With the safety of the user and other road users at the heart of JOSKIN's concerns, various solutions are proposed to secure the load.




Removable, multiposition front and rear ladders.



10 m models, including on WAGO-Loader with manual ramps or telescopic ramp).


Patented, Self-Unfolding Extensions for Side Ladders

As an option, (mechanical and automatic) self-unfolding extensions can be added to the side ladders to secure the upper and lower bales whatever their height (70 to 120 cm).



Approximate heights in cm, variable according to the wheel type.

Even more safety...



Galvanised WAGO and WAGO-Loader Lashing points



Painted WAGO Lashing points



Galvanised and painted WAGO

2 possible strap tensioners at the back



WAGO and WAGO-Loader Bolted front wall



Advantages Specific to WAGO or WAGO-Loader


Although they have many points in common, the JOSKIN bale trailers and low loaders have some **advantages specific to their use**.

WAGO: a Galvanised Bale Trailer with 3 Standardised Solutions



- **(A)** 9.6 m + 2.1 m = 11.7 m **(B)** 10 m + 1.1 m hydraulic extension = 11.1 m
- - **(C)** 9.6 m + 0.4 m = 10 m
 - (D) Adjustable tandem position for 10 and 12 m trailers

WAGO-Loader: a Galvanised Low Loader with 3 Types of Ramps



Find out more and configure your bale trailer or low loader in just a few clicks!







WIDE RANGE OF BALE TRAILERS & LOW LOADERS

WAGO

- ✓ Range from 6 to 11.7 meters
- ✓ Trailed or semi-mounted models
- ✓ Galvanised or green-painted protection
 - √ Front/rear ladders or retractable side ladders

WAGO-LOADER

- ✓ Range from 8 to 10 meters
- ✓ Trailed or semi-mounted models
 - ✓ Galvanised protection
 - ✓ Manual or hydraulic ramps or telescopic ramp



















de Wergifosse, 39 - 4630 Soumagne (Belgium) E-mail: info@joskin.com • Tel.: +32 (0)4 377 35 45

Scan the QR code to find out more about JOSKIN

