

JOSKIN

www.joskin.com

SCARIFLEX





IDEAL AERATOR FOR YOUR PASTURES




For ecological maintenance and good aeration of your meadows


SCARIFLEX

- ✓ **Modular machine with unrivalled efficiency.**
- ✓ **High-quality galvanising for a durable aerator.**
- ✓ **Scraper blades adaptable to all Scariflex models, even older ones!**
- ✓ **After-sales service: 3-year warranty and individualised parts book.**






LED lighting with striped boards (red and white).




Step for a safe access to the air seeder.




Air seeder (150, 300 or 450 l) with electric drive. Various distributors available (max. seed Ø: 2.5 to 7 mm). Pre-equipment possible on models 480, 600, 720 and 960.


(A) Seed distributors (8 or 12 depending on model).




Variflex: continuous modulation of the tine pressure by hydraulic adjustment using multiple compensation cylinders and one or two central cylinders with graduated mark.




Double hydraulic folding system with adjustable stop and anti-noise Ertalon for models from 8.4 m working width.



Single hydraulic folding system with anti-noise silent-block for models up to 7.2 m working width.




Independent scraper blades of variable width (90 to 130 cm) depending on model, positioned in front of the wheels to level the ground.





Height adjustment of the scraper blades by crank handle with graduation and marking arrow.

4 WORKING OPTIONS for Aerating According to Your Farm's Needs





R5S3 (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 1 row of 10 cm spreading paddles on very flexible leaves
- ✓ 3 rows of spring tines





R6S5 (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 5 rows of spring tines



R6S6 (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m - 12 m)

- + 1 row of scraper blades on springs
- ✓ 6 rows of spring tines




R6D2S3 (6 m - 7.2 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 2 rows of scarifying shares
- ✓ 3 rows of spring tines



All models, when folded for transport, have a maximum width of 250 cm.



Standardised machines that **SATISFY EVERY NEED AND ADAPT TO EVERY FARM** for outstanding aeration and overseeding.

