


www.joskin.com



Expert in transport in agricultural environments and on construction sites! Tipping trailers, bale trailers, low loaders, multi-purpose or silage trailers, hook-lift systems...



Monocoque Tipping Trailers

Increased payload and sturdiness thanks to their High Tensile Steel structure and body, **easier unloading** of their tapered body, secure tipping thanks to the forward position of their telescopic cylinder... These are just some of the advantages that have made the JOSKIN agricultural tipping trailers so famous!



Body length: 4.5 to 6.5 m (10.2 to 37.5 m³ DIN) Payload: 10 to 18 t Single/double axle

Trans-SPACE (9 models)

Body length: 6.5 to 9.2 m (21.9 to 52.4 m³ DIN) HARDOX floor Pavload: 18 to 26 t Double/triple axle

Trans-PALM (9 models)

E 200/t NET

DISCOUNT

Body length: 4.5 to 6 m (6.6 to 20.4 m³ DIN) Payload: 10 to 16 t Single/double axle

DISCOUNT

€ 150/t NET

DISCOUNT

E 300/t NET

JOSKEN

OSKEN

Construction Tipping Trailers

The **best strength/payload ratio** thanks to the **Hardox 450** steel body! And always the **anti-deformation chassis** in High Tensile Steel, the **easy to empty** tapered body and the forward telescopic cylinder for **stability when tipping**.

Trans-KTP 9/11/15 t (3 models)

Body length: 4.5 m (5.1 to 18.4 m³ DIN) Payload: 9 to 15 t Single/double axle DISCOUNT E 250 t NET

Trans-KTP 17/22/24/27/31/34 t (6 models)

Body length: 5 to 7.2 m (8.6 to 36.1 m³ DIN) Payload: 17 to 30 t Double/triple axle



Dropside Tipping Trailers

Sturdiness and tipping stability thanks to the high tensile steel construction, the closed-tube wall structure, the wide, low chassis design, and the **3-way tipping system** (standard or optional depending on the model) for a more stable, precise tipping in hard-to-reach areas or under roofs. Perfectly watertight body with anti-stick compressed seal for easy side panel closure.

Trans-EX (8 models)

3-way tipping system (option) Body length: 2.9 to 4.5 m (1.9 to 9.92 m³ DIN) DISCOUNT Payload: 3 to 9 t

DISCOUNT

€ 150/t NET

Single/double axle

Delta-CAP/SPACE (13 models)

3-way tipping system Body length: 4.5 to 7.5 m (10.89 to 32.54 m³ DIN)

JOSKIN

ATTE-EX 4T

Payload: 8 to 24 t Single/double/triple axle



€ 150/t NET

www.joskin.com

DISCOUNT

€ 150/t NET

Tetra-CAP (11 models)

3-way tipping system Body length: 4.5 to 6 m (10.89 to 23.2 m³ DIN) Payload: 8 to 16 t 2 axles

1

Tetra-SPACE (4 models)

3-way tipping system Body length: 7.5 m (21.69 to 32.54 m³ DIN) DISCOUNT Payload: 18 to 24 t € 150/t NET 3 axles



Multipurpose Trailers

The revolutionary system of the JOSKIN multi-purpose trailer system enables a safe, tipping-free unloading in less than **a minute**, whatever the type of product, thanks to a hermetic industrial conveyor belt coupled to a moving front wall.

DISCOUNT

€ 250/t NET

JOSKIN

Drakkar (10 models)

Body length: 6.3 to 9.3 m (23 to 54 m³ DIN) Body height: 1.5 or 1.8 m Payload: 18 to 28 t Double/triple axle

10-110-114

I'US KEN

Silage Trailers

To ensure **efficient unloading and easy emptying**, JOSKIN silage trailers are fitted with **2 moving floors with chains** with 2-speed hydraulic dual drive (ultra-fast emptying through P.T.O.shaft available as an option) and a **wide-opening rear door** for a high clearance above the load and silage pile.

Silo-SPACE2 (4 models)

Body length: 7.8 to 9.8 m (44 to 61.18 m³ DIN) Payload: 22 to 28 t Double/triple axle







Bale Trailers

JOSKIN bale trailers are designed to **transport straw/hay** bales or Palox boxes. They are made of high tensile steel, which ensures a very sturdy design.



Trailed WAGO (9 painted or galvanised models)

Payload: 10 to 21 t Floor length: 8 to 11.7 m 2/3 axles

Semi-mounted WAGO (10 painted or galvanised models)

DISCOUNT

€ 150/t NET

OSKIN

DISCOUNT

€ 150/t

Payload: 7 to 24 t Floor length: 6 to 11.7 m Single/double/triple axle



DISCOUNT

€ 150/t NET

Low Loaders

JOSKIN low loaders, designed to carry heavier loads (implements, machinery, etc.), are fitted with manual or hydraulic **ramps** or a telescopic ramp. For transporting bales, they can be fitted with hydraulic side ladders as well as front and rear ladders (except with hydraulic ramps).

Trailed WAGO-Loader (3 galvanised models)


€ 150/t NET

Payload: 14 or 21 t Floor length: 8 or 9.9 m 2/3 axles

Semi-mounted WAGO-Loader (4 galvanised models) DISCOUNT

Payload: 14 or 24 t Floor length: 8 to 10 m Double/triple axle

NET





Hook-Lift Systems

Compact and sturdy, the JOSKIN Cargo-LIFT systems are fitted with a **hook-lift that is ideally integrated in an agricultural running gear**. They are designed to carry various types of containers or tanks.

€ 200/t NET



Cargo-LIFT CL (6 models)

Technical load: 10 to 30 t Container length: 3.2 to 7.45 m Double/triple axle

Cargo Chassis

The JOSKIN Cargo chassis is a professional, economical, and above all **versatile transport solution**, as it can be used 365 days a year in a variety of applications, **both on the road and in the field**.



JOSKIN Advantages





JOSK

Expertise in **agricultural and civil engineering transport**

Expertise in **production automation**



cxpertise in surface treatment (galvanising and painting) for a quality assurance IT expertise for an easy, ongoing follow-up with our dealers



Expertise in spare parts with an **individualised spare parts book** generated automatically with the chassis number



Expertise in after-sales service with a **3-year** warranty and a permanent stock of spare parts



0 (f) 0 0 www.joskin.com

Rue de Wergifosse, 39 - 4630 Soumagne (Belgium) E-mail: info@joskin.com • Tel.: +32 (0)4 377 35 45

Scan the QR code to find out more about JOSKIN and discover the full range!

