

# JOSKIN

www.joskin.com

# HIGH-TECH MEADOW AERATORS

|| SCARIFLEX AND EBR4S2 ||



**For an ecological maintenance and a  
good aeration of your meadows**




# JOSKIN







# SCARIFLEX

## 4 WORKING OPTIONS for Aerating According to Your Farm's Needs





**R5S3** (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 1 row of 10 cm spreading paddles on very flexible leaves
- ✓ 3 rows of spring tines





**R6S5** (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 5 rows of spring tines



**R6S6** (4.8 m - 6 m - 7.2 m - 8.4 m - 9.6 m - 10.8 m - 12 m)

- + 1 row of scraper blades on springs
- ✓ 6 rows of spring tines




**R6D2S3** (6 m - 7.2 m)

- + 1 row of scraper blades on springs
- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 2 rows of scarifying shares
- ✓ 3 rows of spring tines





All models, when folded for transport, have a maximum width of 250 cm.




Standardised machines **SATISFYING EVERY NEED AND ADAPTING TO EVERY FARM** for outstanding aeration and overseeding.


# SCARIFLEX

- ✓ **Modular machine with unrivalled efficiency.**
- ✓ **High-quality galvanising for a durable aerator.**
- ✓ **Scraper blades adaptable to all Scariflex models, even older ones!**
- ✓ **After-sales service: 3-year warranty and individualised parts book.**






**LED lighting with striped boards** (red and white).





**Step** for a safe access to the air seeder.




**Air seeder** (150, 300 or 450 l) with electric drive. Various distributors available (max. seed Ø: 2.5 to 7 mm). Pre-equipment possible on models 480, 600, 720 and 960.

**(A) Seed distributors** (8 or 12 depending on model).



**Variflex: continuous modulation of the tine pressure by hydraulic adjustment using multiple compensation cylinders and one or two central cylinders with graduated mark.**



**Unfolded width: from 8.4 m**



**333.4 cm**

**Folded width: max. 250 cm**


**Double hydraulic folding system** with adjustable stop and anti-noise Ertalon for models from 8.4 m working width.




**Unfolded width: from 4.8 m to 7.2 m**

**Folded width: max. 250 cm**

**Single hydraulic folding system** with anti-noise silent-block for models up to 7.2 m working width.



**Independent scraper blades** of variable width (90 to 130 cm) depending on model, positioned in front of the wheels to level the ground.



**Height adjustment of the scraper blades by crank handle** with graduation and marking arrow.

## EBR4S2

- ✓ Traditional quality machine with over 30 years of experience!
- ✓ High-quality galvanising for a durable aerator.
- ✓ High comfort of use, comprehensive equipment and possibility of adjusting the work intensity of the working tools.
- ✓ After-sales service: 3-year warranty and individualised parts book.



Rubber wheels



Rubber wheels filled with foam to make them puncture-proof.





Steel wheels




LED lighting with striped boards (red and white).

Air seeder (150 l) with electric drive and control box.  
8 outlets and various distributors available (seed Ø: from 2.5 to 7 mm).



Round bar for semi-automatic hitching

Additional spring-loaded 3rd point for greater flexibility and better follow-up of the ground.



Ø 7 mm scarifying tines: ideal for a good scarification of meadows.

Manual adjustment of the 2 rear scarifying rows by means of a crank handle with graduation




# 3 TOOLS ON 1 SINGLE MACHINE for Maximum Versatility





**EBR4S2 (2.4 m - 3 m - 3.6 m - 4.2 m - 4.8 m - 5.4 m - 6 m - 6.6 m)**

- ✓ 1 row of 60 cm scrapers on 2 half-flexible leaves
- ✓ 1 row of 10 cm spreading paddles on very flexible leaves
- ✓ 2 rows of spring tines



All models, when folded for transport, have a maximum width of 240 cm or 300 cm.



Height adjustment of the wheels by crank handle with graduation.



## JOSKIN EB Aerator, First Model in the **PROFESSIONAL RANGE** of Meadow Aerators



 [www.joskin.com](http://www.joskin.com)

Rue de Wergifosse, 39 - 4630 Soumagne (Belgium)

E-mail: [info@joskin.com](mailto:info@joskin.com) • Tel.: +32 (0)4 377 35 45

Scan the QR code to find out more about JOSKIN  
and discover the full range! →

