

# FOCUS ON THE TRANSPORT RANGE

Orientation Guide on the Different Transportation Systems



Trans-CAP



Trans-SPACE



Trans-KTP (9 to 15 t)



Trans-KTP (17 to 34 t)



Trans-EX & Delta-CAP



Tetra-CAP & Tetra-SPACE



Silo-SPACE2 (silage trailer)



Drakkar (multipurpose trailer)



WAGO



WAGO-Loader



Cargo-LIFT



CARGO chassis + implements

# JOSKIN®

DIN volumes with maximum extensions.

## MONOCOQUE TIPPING TRAILERS



**Trans-CAP** (11 models)  
Body volume: 10.2 to 37.5 m<sup>3</sup> DIN  
Payload: 10 to 18 t  
Single/double axle



**Trans-SPACE** (9 models)  
Body volume: 21.9 to 52.4 m<sup>3</sup> DIN  
Payload: 18 to 26 t  
Double/triple axle



**Trans-PALM** (9 models)  
Body volume: from 6.6 m<sup>3</sup> DIN  
(extensions can be fitted by  
increments of 25 or 50 cm)  
Payload: 10 to 16 t  
Single/double axle

## CONSTRUCTION TIPPING TRAILERS



**Trans-KTP 9/11/15 t** (3 models)  
Body volume: 5.1 to 18.4 m<sup>3</sup> DIN  
Payload: 9 to 15 t  
Single/double axle



**Trans-KTP 17/22/24/31/34 t** (5 models)  
Body volume: 8.6 to 36.1 m<sup>3</sup> DIN  
Payload: 17 to 30 t  
Double/triple axle

## DROPSIDE TIPPING TRAILERS



**Trans-EX** (8 models)  
3-way tipping system (optional)  
Body volume: 1.9 to 9.92 m<sup>3</sup> DIN  
Payload: 3 to 9 t  
Single/double axle



**Delta-CAP** (13 models)  
3-way tipping system (standard)  
Body volume: 10.89 to 32.54 m<sup>3</sup> DIN  
Payload: 8 to 24 t  
Simple/double/triple axle



**Tetra-CAP** (11 models)  
3-way tipping system (standard)  
Body volume: 10.89 to 23.2 m<sup>3</sup> DIN  
Payload: 8 to 16 t  
2 axles



**Tetra-SPACE** (4 models)  
3-way tipping system (standard)  
Body volume: 21.69 to 32.54 m<sup>3</sup> DIN  
Payload: 18 to 24 t  
3 axles

DIN volumes with maximum extensions.

## SILAGE TRAILERS



**Silo-SPACE2** (4 models)  
Body volume: 44 to 61.18 m<sup>3</sup> DIN  
Payload: 22 to 28 t  
Double/triple axle

## MULTIPURPOSE TRAILERS



**Drakkar** (10 models)  
Body volume: 23 to 54 m<sup>3</sup> DIN  
Payload: 18 to 28 t  
Double/triple axle

## BALE TRAILERS



**Trailed WAGO** (9 painted or galvanised models)  
Payload: 10 to 21 t  
Length: 8 to 11.7 m  
2/3 axles



**Semi-mounted WAGO** (10 painted or galvanised models)  
Payload: 7 to 24 t  
Length: 6 to 11.7 m  
Simple/double/triple axle


## LOW LOADERS



**Trailed WAGO-Loader**  
(3 galvanised models)  
Payload: 14 or 21 t  
Length: 8 or 9.9 m  
2/3 axles



**Semi-mounted WAGO-Loader**  
(4 galvanised models)  
Payload: 14 or 24 t  
Length: 8 to 10 m  
Double/triple axle



## HOOK-LIFT SYSTEMS



**Cargo-LIFT CL** (6 models)  
Technical load: 12 to 30 t  
Container length: 3.2 to 7.445 m  
Double/triple axle

## CARGO CHASSIS + IMPLEMENTS

**CARGO chassis**  
(2 models)  
Chassis length: 6 or 7.1 m  
Double/triple axle



**Vacu-CARGO**  
(4 models)



**Silo-CARGO**  
(2 models)



**Drakkar-CARGO**  
(4 models)



**Ferti-CARGO**  
(3 models)



**Ferti-CARGO Horizon**  
(3 models)

# WIDE RANGE FOR TRANSPORTATION

DIN volumes without extensions.



**Trans-CAP**  
10 to 18 t • 10.2 to 21.9 m<sup>3</sup> DIN  
Length (above): 4.72 to 6.73 m  
Height: 1 to 1.5 m



**Trans-SPACE**  
18 to 26 t • 21.9 to 30.8 m<sup>3</sup> DIN  
Length (above): 6.73 to 9.41 m  
Height: 1.25 or 1.5 m



**Trans-PALM**  
9 to 17 t • 6.6 to 16.8 m<sup>3</sup> DIN  
Length (above): 4.72 to 6.2 m  
Height: 0.65 to 1.25 m



**Trans-KTP**  
9 to 30 t • 5.1 to 17.3 m<sup>3</sup> DIN  
Length (above): 4.6 to 7.52 m  
Height: 0.5 to 1.05 m



**Trans-EX & Delta-CAP**  
3 to 14 t • 1.9 to 19.36 m<sup>3</sup> DIN  
Length: 2.86 to 6 m  
Height: 0.4 to 1.6 m



**Tetra-CAP & Tetra-SPACE**  
8 to 24 t • 10.89 to 31 m<sup>3</sup> DIN  
Length: 4.5 to 7.5 m  
Height: 1 to 1.8 m



**Silo-SPACE2**  
22 to 28 t • 44 to 59 m<sup>3</sup> DIN  
Length (above): 8.83 to 10.54 m  
Height: 2.28 m



**Drakkar**  
18 to 28 t • 23 to 46 m<sup>3</sup> DIN  
Length (above): 6.7 to 9.7 m  
Height: 1.5 or 1.8 m



**WAGO bale trailers**  
7 to 24 t • 6 to 11.7 m • Side ladders available on 8 and 10 m models



**WAGO-Loader low loaders**  
14 to 24 t • 8 to 10 m



**Cargo-LIFT CL**  
12 to 30 t • For containers from 3.2 to 7.445 m



**Cargo**  
6 to 7.1 m • Implements on request

Optional equipment on all bodies: simple or hydraulic extensions, various cover systems, etc.

JOSKIN equipment mass-produced from quality steel on high-precision CNC machines.

Parts book customized for each machine according to chassis number, type and options.

**For more technical details, ask for the focus on the product line you are interested in.**

# JOSKIN®



[www.joskin.com](http://www.joskin.com) • Rue de Wergifosse, 39 - 4630 Soumagne (Belgium)

E-mail: [info@joskin.com](mailto:info@joskin.com) • Tel.: +32 (0)4 377 35 45