

TECHNICAL FOCUS ON TRANS-EX

Technical guide for making the right purchase




JOSKIN®


TRANS-EX

COMPACT, SIMPLE, STURDY AND VERSATILE TIPPING TRAILER


Standard ✓ or optional + equipment



Bolted, reversible drawbar for high or low hitch, with **height adjustment** (3, 4 and 5 t models).




Sprung drawbar with 2 height adjustment options (7 and 9 t models).




Wide choice of eyelets

- (A) Welded Ø 50 mm fixed eye (standard on models from 3 to 5 t)
- (B) Bolted Ø 50 mm fixed eye (standard on 7- and 9-t models)*
- (C) Bolted Ø 50 mm swivel eye*
- (D) Bolted Ø 40 mm fixed eye*
- (E) Bolted Ø 80 mm knee-joint eyelet*
- (F) Welded Ø 40 mm fixed eye (only high hitch)


**7 and 9 t models only.*




Wheel stand with height adjustment, always perpendicular to the ground.




Jack stand




Skid for hitch hook




Hydraulic skid with direct connection to the tractor and closing valve




Hydraulic stand with hand pump



Wheel chocks



CE **Automatic inertia brake** requiring no air or oil, with freewheel when reversing.



Movable, bolted running gear. Adjustable in height (to fit large wheels) and depth (to adjust weight on tractor on single-axle trailer).




Large choice of tyres

- Ø 760 to 945 mm
- Width: 274 to 500 mm


10.0/75-15.3 14PR
11.5/80-15.3 16PR
11.5/80-15.3 10PR
15.0/55-17 14PR
19.0/45-17 14PR
500/50-17 18PR

455/40R22.5
435/50R19.5



Patented parking brake with automatic overrun brake

CE




Roll-Over bogie with bolted table on double-axle models (wheels: max. Ø 945 mm). Optional on bogie: braking power in proportion to the load (air brakes compulsory).

✗ CE




Air brakes

CE















Hydraulic brakes

✗ CE



Dual brakes (hydraulic and air brakes)


✗ CE



TRANS-EX

8 MODELS

A tipping trailer that combines **SIMPLICITY AND VERSATILITY** to get various jobs done!



VARIOUS EXTENSIONS AVAILABLE

200 or 400 mm extensions (3, 4, 5 and 7 t models).



500 mm extensions (9 t models).



Max. height (drop sides + extensions): 1.2 m. Rear door height adapted to the height with extensions.

JOSKIN



www.joskin.com • Rue de Wergifosse, 39 - 4630 Soumagne (Belgium)

E-mail: info@joskin.com • Tel.: +32 (0)4 377 35 45