

TECHNICAL FOCUS ON LIVESTOCK TRAILERS

Technical guide for making the right purchase

















JOSKIN®

BETIMAX

MAXIMUM POSSIBILITIES!

Standard ✓ or optional + equipment



SAFE OPENING AND CLOSING OF REAR DOORS

✓

- Easy handling
- No lubrication required
- Safe opening and closing thanks to a 40 cm lever
- User protected behind the closed second door.

(A) Push the lever.
(B) Raise the lever.
(C) Pivot the lever 90° to release the door.
(D) User protected if animals suddenly exit the trailer.

100% secure automatic locking®

(A) Double lock above and under securely locked.
(B) Neutral position for automatic closing.
(C) "Door released" position for opening.

✓

Minimal risk of hip injury for animals when exiting the trailer thanks to low rear edges (5 cm) and 2 inner bars.

Measurements in cm:

5 + 2.25

75

115

OPTIONAL INNER AND OUTER EQUIPMENT FOR ALL MODELS

+

Rear safety fences to allow air to circulate (ideal for transport in hot weather conditions).

+

Door locking at 90°, 115°, 130° or 265°.

+

Protection of animals against wheel recesses

+

198° pivoting fences of 3.5 m or 4.5 m long.

+

270° pivoting fences with rear (folded over each other against the door) or side storage, expendable from 2.3 m to 3.7 m.

+

Rail-mounted fences pivoting at 173° of 3.5 m (A) or 4.5 m (B) long.

Double security for all outer fences in transport position.

Adjustable suspension on all outer fences.

Anti-vibration silentblock on all inner and outer fences.

All current fences can be fitted to all older JOSKIN livestock trailers.

+

Rail-mounted inner fence with locking at intervals of 640 to 980 mm depending on the model, suitable for small and large animals. Door opening from inside or outside.

(A) Storage position of the partition against the front wall of the livestock trailer.

+

Single inner fence with rods, 3 or more positions depending on the use.

+

Wide choice of outer equipment

(A) Tool box.
(B) 4-slot holder for handle tools.
(C) Wheel chocks.
(D) Spare wheel on stand.

+

Flexible thermoformed mudguards to prevent splashes and ensure a good protection for cyclists.

+

Working light inside the body.

+

LED flash bar


+

(A) Protected rear lights (out of reach of the animals)
(B) Illuminated license plate protected in the chassis

+

Cover solidly attached.
Side marker lights and end outline marker lamps (LED).

WIDE RANGE OF LIVESTOCK TRAILERS



¹ The colour of a galvanised livestock trailer calms the animals and stays in the habits of those living partly in the barn. Galvanisation also provides an excellent protection over time.

² The green colour resembles that of the meadows and therefore does not create a sharp contrast for the animals. Although less resistant than galvanisation, painting offers an excellent finish over time.

Large choice of options

- Inner and outer fences
- Cover
- Tool box
- Wheel chocks
- 4-slot holder (for shovels, brushes, etc.)
- Spare wheel with stand
- Working light inside the body
- LED flash bar
- End outline marker lamps
- Mudguard extensions
- Hydraulic parking stand
- High hitching
- EU certification
- ...



JOSKIN®



www.joskin.com • Rue de Wergifosse, 39 - 4630 Soumagne (Belgium)

E-mail: info@joskin.com • Tel.: +32 (0)4 377 35 45

November 2024. Non-contractual document. Data can be modified without prior notice. Pictures do not necessary correspond to the standard equipment.