

FOCUS ON BF GARDEN, BF AND EBR4S2 AERATORS

Technical Guide for the Proper Harrowing of Your Pastures and Lawns




JOSKIN®

BF & BF GARDEN

ECONOMICAL, Simple and Efficient Aerators

BF: Small Agricultural Structures | BF Garden: Private Estates


Standard ✓ or optional + equipment




60 cm extensions possible on BF Garden models from 1.2 to 2.4 m



2 rows of spring tines (Ø 7 mm)




Aerating rakes instead of spring tines




30 cm scrapers on individual semi-flexible spring leaves (R3S2).



60 cm scrapers on pair of semi-flexible spring leaves (R4S2).



15 cm scrapers on individual super flexible spring leaves (R4S2).




BF Garden: reversible 3-point hitch with Ø 22 mm pins (cat. 1) for mini tractors.




BF: quick hitch by round bar with guide cones (Ø 22 mm (cat. 1) on type 240 - Ø 28 mm (cat. 2) on wider models).



Automatic locking of the hitching rod. Unlocking from the driver's seat.




Galvanised protection
 (A) Structure in High Tensile Steel sheets.
 (B) Melting zone of the zinc penetrating the steel core at 450°C.
 (C) 70-micron galvanised protective coating on both steel sides.



Folded width: 1.2 to 3 m depending on the model

Manual folding system for models from 2.4 to 4.2 m (including 60 cm extensions).



Folded width: 2.4 or 3 m depending on the model

Hydraulic folding system for 4.8 and 5.4-m models



Mechanical transport lock on the folding cylinder. Unlocking from the driver's seat.



Parking stand



Silentblocks on manually folding extensions



Protected LED lighting with striped boards (red and white).


EBR4S2

HIGH-TECH AERATORS for Large Meadows to Be Harrowed, Adaptable to the Terrain to Be Worked


Standard ✓ or optional + equipment



2 rows of \varnothing 7 mm spring tines. Manual adjustment using a crank with graduation.




Aerating rakes instead of spring tines



60 cm scrapers on pair of semi-flexible spring leaves.



10 cm scrapers on individual super flexible spring leaves.




3-point quick hitch by round bar with guide cones (\varnothing 28 mm (cat. 2)).



Oscillating hitch with spiral spring shock absorber for smooth terrain follow-up.




Automatic locking of the hitching rod. Unlocking from the driver's seat.



Folded width: 2.4 or 3 m depending on the model


Manual folding system for 3.6 and 4.2-m models




Mechanical transport lock on the folding cylinder. Unlocking from the driver's seat.




One pair of steel wheels on models from 2.4 to 4.2 m (2 pairs as standard on models from 4.8 to 6.6 m).




Adjustable, retractable wheel scraper.



Rubber wheels instead of steel wheels.



Rubber wheels filled with foam to make them puncture-proof.




Folded width: 2.4 or 3 m depending on the model

Hydraulic folding system for models from 4.8 to 6.6 m



LED lighting and striped boards (red and white).



Height adjustment of the wheels by crank. Graduation and arrow.



Pneumatic seeder (150 l) with electric drive and control box. 8 outlets and various distributors possible (seed \varnothing : from 2.5 to 7 mm).




Pre-equipment for seeder (support).



105 l electric roto-seeder



WIDE RANGE OF BF GARDEN, BF AND EBR4S2 MEADOW HARROWS

AERATORS FOR SMALL FARMS, RIDING SCHOOLS, PARKS AND GARDENS




R3S2 (BF Garden and BF)

- ✓ 1 row of 30 cm scrapers on semi-flexible leaves
- ✓ 2 rows of Ø 7 mm spring tines




R4S2 (BF Garden, BF and EBR4S2)

- ✓ 1 row of 60 cm scrapers on semi-flexible leaves
- ✓ 1 row of 15 cm (BF models) or 10 cm (EB models) scrapers on super flexible leaves
- ✓ 2 rows of Ø 7 mm spring tines



BF Garden

Without folding system



120, 150, 180, 210 and 240 cm

Manual folding system



60 | 120 | 60
240 cm



60 | 150 | 60
270 cm



60 | 180 | 60
300 cm




60 | 210 | 60
330 cm



60 | 240 | 60
360 cm

BF and EBR4S2

Without folding system



240 and 300 cm

Manual folding system



60 | 240 | 60
360 cm




60 | 300 | 60
420 cm

Hydraulic folding system




120 | 240 | 120
480 cm




120 | 300 | 120
540 cm

EBR4S2

Hydraulic folding system



180 | 240 | 180
600 cm



180 | 300 | 180
660 cm

SIMPLE, ROBUST, EFFICIENT AND STANDARDISED MACHINES
for all mounting possibilities.

JOSKIN



www.joskin.com • Rue de Wergifosse, 39 - 4630 Soumagne (Belgium)

E-mail: info@joskin.com • Tel.: +32 (0)4 377 35 45